

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Unigrip High-Performance Clear Coat Gloss - Component A  
Revision date : 20.03.2025  
Print date : 20-03-2025

# UNIGRIP

DANTECH ELITE COMPOSITES

Version : 1.0.0

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

UNIGRIP High-performance Clear Coat Gloss - Component A (086000200A)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Water-dilutable two component coating based on polyurethane

#### Relevant identified uses

In compliance with the conditions described in the annex to this safety data sheet. See section 16 for a comprehensive list of uses, for which an exposure scenario is provided as an annex.

#### Sectors of use [SU]

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Process categories [PROC]

PROC 7 - Industrial spraying

PROC 10 - Roller application or brushing

PROC 11 - Non industrial spraying

PROC 19 - Manual activities involving hand contact

PROC 21 - Low energy manipulation of substances bound in materials and/or articles

PROC 24 - High (mechanical) energy work-up of substances bound in/on materials and/or articles

#### Environmental release categories [ERC]

ERC 5 - Use at industrial site leading to inclusion into/onto article

ERC 8c - Widespread use leading to inclusion into/onto article (indoor)

ERC 8f - Widespread use leading to inclusion into/onto article (outdoor)

ERC 10a - Widespread use of articles with low release (outdoor)

ERC 11a - Widespread use of articles with low release (indoor)

ERC 12a - Processing of articles at industrial sites with low release

#### Article categories [AC]

AC 4 - Stone, plaster, cement, glass and ceramic articles

AC 11 - Wood articles

#### Uses advised against

Do not use for private purposes (household).

#### Remark

The product is intended for professional use.

### 1.3 Details of the supplier of the safety data sheet

**Supplier (manufacturer) :** Dantech Group

**Street :** 2660 NW 15<sup>th</sup> Court

**Postal code/City :** Pompano Beach, FL 33069

**Telephone :** +1 954 414 9567

**Information contact :** Contact@dantech-group.com

### 1.4 Emergency telephone number

911

European emergency number: 112. Danmark: (Giftlinjen +45 82 12 12 12), only for the purpose of informing medical personnel in cases of acute intoxications.

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008 [CLP]**

None

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Unigrip High-Performance Clear Coat Gloss - Component A  
Revision date : 20.03.2025  
Print date : 20-03-2025

# UNIGRIP

DANTECH ELITE COMPOSITES

Version : 1.0.0

## 2.2 Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

#### Special rules for supplemental label elements for certain mixtures

|        |   |
|--------|---|
| O223   | This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point. |
| EUH208 | Contains A MIXTURE OF: 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1). May produce an allergic reaction.  |
| EUH210 | Safety data sheet available on request.   |

## 2.3 Other hazards

### Adverse human health effects and symptoms

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

### Adverse environmental effects

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous ingredients

3-BUTOXYPROPAN-2-OL ; REACH No. : 01-2119475527-28 ; EC No. : 225-878-4; CAS No. : 5131-66-8

Weight fraction :  $\geq 1 - < 5 \%$

Classification 1272/2008 [CLP] : Skin Irrit. 2 ; H315 Eye Irrit. 2 ; H319

#### Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately. If unconscious but breathing normally, place in recovery position and seek medical advice.

#### Following inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

#### In case of skin contact

In case of skin reactions, consult a physician. Immediately remove any contaminated clothing, shoes or stockings. After contact with skin, wash immediately with plenty of water and soap. Do not use force or solvents to remove product incrustations from affected skin areas. Do not let product dry on skin.

#### After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### Following ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting. Keep at rest.

#### Self-protection of the first aider

First aider: Pay attention to self-protection!

### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Unigrip High-Performance Clear Coat Gloss - Component A  
Revision date : 20.03.2025  
Print date : 20-03-2025

# UNIGRIP

DANTECH ELITE COMPOSITES

Version : 1.0.0

### 4.3 Indication of any immediate medical attention and special treatment needed

None

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam

#### Unsuitable extinguishing media

Water spray jet

### 5.2 Special hazards arising from the substance or mixture

Burning produces heavy smoke. Use suitable breathing apparatus.

#### Hazardous combustion products

Carbon monoxide

### 5.3 Advice for firefighters

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

### 5.4 Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Do not breathe gas/fumes/vapour/spray. Remove all sources of ignition. Provide adequate ventilation. Remove persons to safety. Use personal protection equipment. See protective measures under point 7 and 8.

#### For emergency responders

Do not breathe gas/fumes/vapour/spray. Use personal protection equipment. See protective measures under point 7 and 8.

### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Ensure waste is collected and contained.

### 6.3 Methods and material for containment and cleaning up

#### For containment

Ensure waste is collected and contained.

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation. Clean with detergents. Avoid solvent cleaners. Treat the recovered material as prescribed in the section on waste disposal.

### 6.4 Reference to other sections

None

## SECTION 7: Handling and storage



# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Unigrip High-Performance Clear Coat Gloss - Component A  
Revision date : 20.03.2025  
Print date : 20-03-2025

# UNIGRIP

DANTECH ELITE COMPOSITES

Version : 1.0.0

### 7.1 Precautions for safe handling

#### Protective measures

It is recommended to design all work processes always so that the following is excluded: Inhalation of vapours or spray/mists  
Skin contact Eye contact Do not breathe gas/fumes/vapour/spray. When using do not eat, drink, smoke, sniff. Wear personal protection equipment (refer to section 8). Never use pressure to empty container. Use only in well-ventilated areas.

#### Measures to prevent fire

Keep away from sources of ignition - No smoking.

#### Environmental precautions

Do not allow to enter into surface water or drains.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Only use containers specifically approved for the substance/product. Keep/Store only in original container. Keep container tightly closed.

#### Hints on joint storage

Keep away from:

#### Further information on storage conditions

Keep only in the original container in a cool, well-ventilated place. Store in a place accessible by authorized persons only. Handle and open container with care.

### 7.3 Specific end use(s)

Observe instructions for use. The regulations of the national employment safety and employment protection commission about the handling for polyurethane/epoxy have to be observed.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

None

### 8.2 Exposure controls

#### Personal protection equipment



#### Eye/face protection

##### Suitable eye protection

Eye glasses with side protection

#### Skin protection

##### Hand protection

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Wear cotton undermitten if possible.

**Suitable gloves type** : Disposable gloves.

**Suitable material** : NBR (Nitrile rubber)

**Required properties** : liquid-tight.

**Breakthrough time** : > 60 minutes

**Thickness of the glove material** : > 0.5 mm

**Recommended glove articles** : EN 374

**Additional hand protection measures** : Do not wear gloves near rotary machines and tools. Check leak tightness/impermeability prior to use. Wear cotton undermitten if possible. Use gloves only once. Take recovery periods for skin regeneration.

**Remark** : For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Observe the wear time limits as

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Unigrip High-Performance Clear Coat Gloss - Component A  
Revision date : 20.03.2025  
Print date : 20-03-2025

# UNIGRIP

DANTECH ELITE COMPOSITES

Version : 1.0.0

specified by the manufacturer. Breakthrough times and swelling properties of the material must be taken into consideration. In the case of wanting to use the gloves again, clean them before taking off and air them well. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. Barrier creams are not substitutes for body protection.

### Body protection

**Remark** : Body protection: not required.

### Respiratory protection

exceeding exposure limit values

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

#### Suitable respiratory protection apparatus

Combination filtering device Filtering device (EN 147) Full-/half-/quarter-face masks (EN 136/140) Filtering Half-face mask (EN 149) Particle filter device (EN 143).

Filtering device (full mask or mouthpiece) with filter: A P

#### Additional measures for respiratory protection

Filter types: A, B, E, K. Class 1: Maximum permitted contaminant concentration in inhaled air = 1000 mL/m<sup>3</sup> (0.1 % by vol.); class 2: maximum permitted contaminant concentration in inhaled air = 5000 mL/m<sup>3</sup> (0.5 % by vol.); class 3: maximum permitted contaminant concentration in inhaled air = 10000 mL/m<sup>3</sup> (1.0 % by vol.) Half-face mask or quarter facepiece: maximum use concentration for substances with exposure limits: P1 filter: up to a max. of 4 times the exposure limit. P2 filter: up to a max. of 10 times the exposure limit. P3 filter: up to a max. of 30 times the expo. Full-face mask or mouthpiece with particulate filter: maximum use concentration for substances with exposure limits: P1 filter: up to a max. of 4 times the exposure limit. P2 filter: up to a max. of 15 times the exposure limit. P3 filter: up to a max. of

#### Remark

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

### General information

When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Wash hands before breaks and after work. Immediately remove any contaminated clothing, shoes or stockings.

### Other protection measures

Further information: see technical data sheet.

Further information: see technical data sheet.

Further information: see technical data sheet.

Technical measures and the application of suitable work processes have priority over personal protection equipment. See section 7. No additional measures necessary.

### Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Appearance** : Liquid

#### Appearance

**Colour** : transparent

#### Safety characteristics

|   |                   |         |                                  |
|---|-------------------|---------|----------------------------------|
| Flash point :                             | >                 | 150 °C  | DIN 53213-1                      |
| Evaporation rate :                        | <                 | 1       |                                  |
| Vapour pressure :                         | ( 50 °C )         | <       | 1000 hPa                         |
| Relative density :                        | ( 20 °C )         | approx. | 1,04 g/cm <sup>3</sup> DIN 53217 |
| Viscosity :                               | ( 20 °C )         | approx. | 90 mPa*s                         |
| Melting point/freezing point :            | not applicable    |         |                                  |
| Initial boiling point and boiling range : | No data available |         |                                  |
| Decomposition temperature :               | No data available |         |                                  |
| Auto-ignition temperature :               | No data available |         |                                  |
| Flammable gases :                         | Not applicable.   |         |                                  |
| Flammable solids :                        | Not applicable.   |         |                                  |

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Unigrip High-Performance Clear Coat Gloss - Component A  
Revision date : 20.03.2025  
Print date : 20-03-2025

# UNIGRIP

DANTECH ELITE COMPOSITES

Version : 1.0.0

|   |                       |
|---|-----------------------|
| Oxidising properties :                  | No data available.    |
| Lower explosion limit :                 | No data available     |
| Upper explosion limit :                 | No data available     |
| Explosive properties :                  | No data available.    |
| Relative vapour density :               | No data available     |
| Water solubility :                      | practically insoluble |
| Partition coefficient n-octanol/water : | No data available     |
| pH :                                    | No data available     |
| Flow time :                             | not determined        |
| Cinematic viscosity :                   | No data available     |
| Odour threshold :                       | No data available     |

- ACETONE; CAS No. : 67-64-1

Initial boiling point and boiling range : ( 1000 hPa )

56 °C

## 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No information available.

### 10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4 Conditions to avoid

Ignition hazard.

### 10.5 Incompatible materials

No information available.

### 10.6 Hazardous decomposition products

Does not decompose when used for intended uses.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

#### Respiratory or skin sensitisation

Harmful: possible risk of irreversible effects through inhalation, in contact with skin and if swallowed. Risk of serious damage to eyes. Harmful: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.

### 11.2 Information on other hazards

No information available.

## SECTION 12: Ecological information

### 12.1 Toxicity

There are no data available on the mixture itself.

### 12.2 Persistence and degradability

No information available.

### 12.3 Bioaccumulative potential

No information available.

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Unigrip High-Performance Clear Coat Gloss - Component A  
Revision date : 20.03.2025  
Print date : 20-03-2025

# UNIGRIP

DANTECH ELITE COMPOSITES

Version : 1.0.0

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6 Endocrine disrupting properties

No information available.

### 12.7 Other adverse effects

No information available.

### 12.8 Additional ecotoxicological information

The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3). Do not allow to enter into surface water or drains.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

No information available.

## SECTION 14: Transport information

### 14.1 UN number or ID number

No dangerous good in sense of these transport regulations.

### 14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

### 14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

### 14.4 Packing group

No dangerous good in sense of these transport regulations.

### 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

### 14.6 Special precautions for user

None

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU legislation

##### Authorisations and/or restrictions on use

##### Restrictions on use

##### Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)

Use restriction according to REACH annex XVII, no. : 40, 75

##### Other regulations (EU)

##### Regulation (EU) 2019/1148 (marketing and use of explosives precursors)

##### ANNEX II - REPORTABLE EXPLOSIVES PRECURSORS

ACETONE ; REACH No. : 01-2119471330-49 ; EC No. : 200-662-2; CAS No. : 67-64-1

Weight fraction : < 1 %

##### National regulations

EU limit value for this product (cat. A/i): 140 g/l (2010). This product contains max: 140 g/l

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Unigrip High-Performance Clear Coat Gloss - Component A  
Revision date : 20.03.2025  
Print date : 20-03-2025

# UNIGRIP

DANTECH ELITE COMPOSITES

Version : 1.0.0

**MAL code number according to Executive Order no. 301 from 13 May 1993 on the determination of code numbers (The Danish Working Environment Service)**

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### 16.1 Indication of changes

None

### 16.2 Abbreviations and acronyms

ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road  
ASTM = American Society of Testing and Materials (US)  
CAS No = Chemical Abstracts Service Number (see ACS - American Chemical Society)  
DNEL = Derived No-Effect Level  
DT50 = Time for 50% loss; half-life  
EbC50 = Median effective concentration (biomass, e.g. of algae)  
EC50 = Median effective concentration  
EINECS = European Inventory of Existing Commercial Chemical Substances  
ELINCS = European List of Notified (New) Chemicals (see Tab 7, Background - Guide)  
ErC50 = Median effective concentration (growth rate, e.g. of algae)  
EWC = European Waste Catalogue  
IATA = International Air Transport Association  
IC50 = Concentration that produces 50% inhibition  
IMDG = International Maritime Dangerous Goods Code  
IMO = International Maritime Organization  
LC50 = Concentration required to kill 50% of test organisms  
LD50 = Dose required to kill 50% of test organisms  
LEL = Lower Explosive Limit/Lower Explosion Limit  
LOAEL = Lowest observed adverse effect level  
MRL = Maximum Residue Limit  
NOAEL = No Observed Adverse Effect Level  
NOEC = No observed effect concentration  
NOEL = No Observable Effect Level  
OEL = Occupational Exposure Limits  
PBT = Persistent, Bioaccumulative or Toxic  
PNEC = Previsible Non Effect Concentration  
STEL = Short-Term Exposure Limit  
TWA = Time-Weighted Average  
vPvB = Very Persistent and Very Bioaccumulative

### 16.3 Key literature references and sources for data

None

### 16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

No information available.

### 16.5 Relevant H- and EUH-phrases (Number and full text)

H315 Causes skin irritation.  
H319 Causes serious eye irritation.

### 16.6 Training advice

The regulations of the national employment safety and employment protection commission about the handling for polyurethane/epoxy have to be observed.

### 16.7 Additional information

This safety data sheet contains more than one ES in an integrated form. Contents of the exposure scenarios have been included into sections 1.2, 8, 9, 12, 15 and 16 of this safety data sheet.

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Unigrip High-Performance Clear Coat Gloss - Component A  
Revision date : 20.03.2025  
Print date : 20-03-2025

# UNIGRIP

DANTECH ELITE COMPOSITES

Version : 1.0.0

---

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Unigrip High-Performance Clear Coat Gloss - Component B  
Revision date : 20.03.2025  
Print date : 20-03-2025

# UNIGRIP

DANTECH ELITE COMPOSITES

Version : 1.0.0

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

UNIGRIP High-performance Clear Coat Gloss - Component B (086000200B)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Water-dilutable two component coating based on polyurethane

#### Relevant identified uses

In compliance with the conditions described in the annex to this safety data sheet. See section 16 for a comprehensive list of uses, for which an exposure scenario is provided as an annex.

#### Sectors of use [SU]

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Process categories [PROC]

PROC 7 - Industrial spraying

PROC 10 - Roller application or brushing

PROC 11 - Non industrial spraying

PROC 19 - Manual activities involving hand contact

PROC 21 - Low energy manipulation of substances bound in materials and/or articles

PROC 24 - High (mechanical) energy work-up of substances bound in/on materials and/or articles

#### Environmental release categories [ERC]

ERC 5 - Use at industrial site leading to inclusion into/onto article

ERC 8c - Widespread use leading to inclusion into/onto article (indoor)

ERC 8f - Widespread use leading to inclusion into/onto article (outdoor)

ERC 10a - Widespread use of articles with low release (outdoor)

ERC 11a - Widespread use of articles with low release (indoor)

ERC 12a - Processing of articles at industrial sites with low release

#### Article categories [AC]

AC 4 - Stone, plaster, cement, glass and ceramic articles

AC 11 - Wood articles

#### Uses advised against

Do not use for private purposes (household).

#### Remark

The product is intended for professional use.

### 1.3 Details of the supplier of the safety data sheet

**Supplier (manufacturer) :** Dantech Group

**Street :** 2660 NW 15<sup>th</sup> Court

**Postal code/City :** Pompano Beach, FL 33069

**Telephone :** +1 954 414 9567

**Information contact :** Contact@dantech-group.com

### 1.4 Emergency telephone number

911

European emergency number: 112. Danmark: (Giftlinjen +45 82 12 12 12), only for the purpose of informing medical personnel in cases of acute intoxications.

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

Acute Tox. 4 ; H332 - Acute toxicity (inhalative) : Category 4 ; Harmful if inhaled.

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Unigrip High-Performance Clear Coat Gloss - Component B  
Revision date : 20.03.2025  
Print date : 20-03-2025

# UNIGRIP

DANTECH ELITE COMPOSITES

Version : 1.0.0

Skin Irrit. 2 ; H315 - Skin corrosion/irritation : Category 2 ; Causes skin irritation.  
Eye Irrit. 2 ; H319 - Serious eye damage/eye irritation : Category 2 ; Causes serious eye irritation.  
Skin Sens. 1 ; H317 - Skin sensitisation : Category 1 ; May cause an allergic skin reaction.  
STOT SE 3 ; H335 - STOT-single exposure : Category 3 ; May cause respiratory irritation.

## 2.2 Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

#### Hazard pictograms



Exclamation mark (GHS07)

#### Signal word

Warning

#### Hazard components for labelling

HEXAMETHYLENE DIISOCYANATE HOMOPOLYMER ; CAS No. : 28182-81-2

HEXAMETHYLENE-DI-ISOCYANATE ; CAS No. : 822-06-0

#### Hazard statements

|      |                                      |
|------|--------------------------------------|
| H332 | Harmful if inhaled.                  |
| H315 | Causes skin irritation.              |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation.       |
| H335 | May cause respiratory irritation.    |

#### Precautionary statements

|           |  |
|-----------|--|
| P261      | Avoid breathing dust/fume/gas/mist/vapours/spray.                |
| P264      | Wash hands thoroughly after handling.                            |
| P312      | Call a POISON CENTER/doctor/... if you feel unwell.              |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P405      | Store locked up.   |

#### Special rules for supplemental label elements for certain mixtures

|        |   |
|--------|---|
| O221   | As from 24 August 2023 adequate training is required before industrial or professional use. |
| EUH204 | Contains isocyanates. May produce an allergic reaction.                                     |

## 2.3 Other hazards

### Adverse human health effects and symptoms

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

### Adverse environmental effects

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous ingredients

HEXAMETHYLENE DIISOCYANATE HOMOPOLYMER ; REACH No. : 01-2119485796-17 ; EC No. : 500-060-2; CAS No. : 28182-81-2

Weight fraction :  $\geq 95 - < 100$  %

Classification 1272/2008 [CLP] : Acute Tox. 4 ; H332 Skin Sens. 1 ; H317 STOT SE 3 ; H335

CYCLOHEXYLDIMETHYLAMINE ; REACH No. : 01-2119533030-60 ; EC No. : 202-715-5; CAS No. : 98-94-2

Weight fraction :  $\geq 1 - < 5$  %

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Unigrip High-Performance Clear Coat Gloss - Component B  
Revision date : 20.03.2025  
Print date : 20-03-2025

# UNIGRIP

DANTECH ELITE COMPOSITES

Version : 1.0.0

Classification 1272/2008 [CLP] : Flam. Liq. 3 ; H226 Acute Tox. 3 ; H301 Acute Tox. 3 ; H311 Acute Tox. 3 ; H331 Skin Corr. 1B ; H314 Eye Dam. 1 ; H318 Aquatic Chronic 2 ; H411

HEXAMETHYLENE-DI-ISOCYANATE ; REACH No. : 01-2119457571-37 ; EC No. : 212-485-8 ; CAS No. : 822-06-0

Weight fraction : < 0,5 %

Classification 1272/2008 [CLP] : Acute Tox. 2 ; H330 Resp. Sens. 1 ; H334 Acute Tox. 4 ; H302 Skin Irrit. 2 ; H315 Skin Sens. 1 ; H317 Eye Irrit. 2 ; H319 STOT SE 3 ; H335

Specific Conc. Limits : Resp. Sens. 1 ; H334: C ≥ 0,5 % • Skin Sens. 1 ; H317: C ≥ 0,5 %

### Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately. If unconscious but breathing normally, place in recovery position and seek medical advice.

#### Following inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

#### In case of skin contact

In case of skin reactions, consult a physician. Immediately remove any contaminated clothing, shoes or stockings. After contact with skin, wash immediately with plenty of water and soap. Do not use force or solvents to remove product incrustations from affected skin areas. Do not let product dry on skin.

#### After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### Following ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting. Keep at rest.

#### Self-protection of the first aider

First aider: Pay attention to self-protection!

### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

None

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam

#### Unsuitable extinguishing media

Water spray jet

### 5.2 Special hazards arising from the substance or mixture

Burning produces heavy smoke. Use suitable breathing apparatus.

#### Hazardous combustion products

Carbon monoxide

### 5.3 Advice for firefighters

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Unigrip High-Performance Clear Coat Gloss - Component B  
Revision date : 20.03.2025  
Print date : 20-03-2025

# UNIGRIP

DANTECH ELITE COMPOSITES

Version : 1.0.0

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

#### 5.4 Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

Do not breathe gas/fumes/vapour/spray. Remove all sources of ignition. Provide adequate ventilation. Remove persons to safety. Use personal protection equipment. See protective measures under point 7 and 8.

##### For emergency responders

Do not breathe gas/fumes/vapour/spray. Use personal protection equipment. See protective measures under point 7 and 8.

#### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Ensure waste is collected and contained.

#### 6.3 Methods and material for containment and cleaning up

##### For containment

Ensure waste is collected and contained.

##### For cleaning up

Clean contaminated articles and floor according to the environmental legislation. Clean with detergents. Avoid solvent cleaners. Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4 Reference to other sections

None

### SECTION 7: Handling and storage



#### 7.1 Precautions for safe handling

##### Protective measures

It is recommended to design all work processes always so that the following is excluded: Inhalation of vapours or spray/mists  
Skin contact  
Eye contact  
Do not breathe gas/fumes/vapour/spray. When using do not eat, drink, smoke, sniff. Wear personal protection equipment (refer to section 8). Never use pressure to empty container. Use only in well-ventilated areas.

##### Measures to prevent fire

Keep away from sources of ignition - No smoking.

##### Environmental precautions

Do not allow to enter into surface water or drains.

#### 7.2 Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Only use containers specifically approved for the substance/product. Keep/Store only in original container. Keep container tightly closed.

##### Hints on joint storage

Keep away from:

##### Further information on storage conditions

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Unigrip High-Performance Clear Coat Gloss - Component B  
Revision date : 20.03.2025  
Print date : 20-03-2025

# UNIGRIP

DANTECH ELITE COMPOSITES

Version : 1.0.0

Keep only in the original container in a cool, well-ventilated place. Store in a place accessible by authorized persons only. Handle and open container with care.

### 7.3 Specific end use(s)

Observe instructions for use. The regulations of the national employment safety and employment protection commission about the handling for polyurethane/epoxy have to be observed.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

None

### 8.2 Exposure controls

#### Personal protection equipment



#### Eye/face protection

##### Suitable eye protection

Eye glasses with side protection

#### Skin protection

##### Hand protection

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Wear cotton undermitten if possible.

**Suitable gloves type** : Disposable gloves.

**Suitable material** : NBR (Nitrile rubber)

**Required properties** : liquid-tight.

**Breakthrough time** : > 60 minutes

**Thickness of the glove material** : > 0.5 mm

**Recommended glove articles** : EN 374

**Additional hand protection measures** : Do not wear gloves near rotary machines and tools. Check leak tightness/impermeability prior to use. Wear cotton undermitten if possible. Use gloves only once. Take recovery periods for skin regeneration.

**Remark** : For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Observe the wear time limits as specified by the manufacturer. Breakthrough times and swelling properties of the material must be taken into consideration. In the case of wanting to use the gloves again, clean them before taking off and air them well. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. Barrier creams are not substitutes for body protection.

##### Body protection

**Remark** : Body protection: not required.

#### Respiratory protection

exceeding exposure limit values

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

##### Suitable respiratory protection apparatus

Combination filtering device Filtering device (EN 147) Full-/half-/quarter-face masks (EN 136/140) Filtering Half-face mask (EN 149) Particle filter device (EN 143).

Filtering device (full mask or mouthpiece) with filter: A P

##### Additional measures for respiratory protection

Filter types: A, B, E, K. Class 1: Maximum permitted contaminant concentration in inhaled air = 1000 mL/m<sup>3</sup> (0.1 % by vol.); class 2: maximum permitted contaminant concentration in inhaled air = 5000 mL/m<sup>3</sup> (0.5 % by vol.); class 3: maximum permitted contaminant concentration in inhaled air = 10000 mL/m<sup>3</sup> (1.0 % by vol.) Half-face mask or quarter facepiece: maximum use concentration for substances with exposure limits: P1 filter: up to a max. of 4 times the exposure limit. P2 filter: up to a max. of 10 times the exposure limit. P3 filter: up to a max. of 30 times the expo. Full-face mask or mouthpiece with

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Unigrip High-Performance Clear Coat Gloss - Component B  
Revision date : 20.03.2025  
Print date : 20-03-2025

# UNIGRIP

DANTECH ELITE COMPOSITES

Version : 1.0.0

particulate filter: maximum use concentration for substances with exposure limits: P1 filter: up to a max. of 4 times the exposure limit. P2 filter: up to a max. of 15 times the exposure limit. P3 filter: up to a max. of

### Remark

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

## General information

When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Wash hands before breaks and after work. Immediately remove any contaminated clothing, shoes or stockings.

## Other protection measures

Further information: see technical data sheet.

Further information: see technical data sheet.

Further information: see technical data sheet.

Technical measures and the application of suitable work processes have priority over personal protection equipment. See section 7. No additional measures necessary.

## Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Appearance :** Liquid

### Appearance

**Colour :** transparent

### Safety characteristics

|   |                       |         |                                  |
|---|-----------------------|---------|----------------------------------|
| Flash point :                             | >                     | 150 °C  | DIN 53213-1                      |
| Evaporation rate :                        | <                     | 1       |                                  |
| Vapour pressure :                         | ( 50 °C )             | <       | 1000 hPa                         |
| Relative density :                        | ( 20 °C )             | approx. | 1,16 g/cm <sup>3</sup> DIN 53217 |
| Viscosity :                               | ( 20 °C )             | approx. | 3500 mPa*s                       |
| Melting point/freezing point :            | not applicable        |         |                                  |
| Initial boiling point and boiling range : | No data available     |         |                                  |
| Decomposition temperature :               | No data available     |         |                                  |
| Auto-ignition temperature :               | No data available     |         |                                  |
| Flammable gases :                         | Not applicable.       |         |                                  |
| Flammable solids :                        | Not applicable.       |         |                                  |
| Oxidising properties.                     | No data available.    |         |                                  |
| Lower explosion limit :                   | No data available     |         |                                  |
| Upper explosion limit :                   | No data available     |         |                                  |
| Explosive properties :                    | No data available.    |         |                                  |
| Relative vapour density :                 | No data available     |         |                                  |
| Water solubility :                        | practically insoluble |         |                                  |
| Partition coefficient n-octanol/water :   | No data available     |         |                                  |
| pH :                                      | No data available     |         |                                  |
| Flow time :                               | not determined        |         |                                  |
| Cinematic viscosity :                     | No data available     |         |                                  |
| Odour threshold :                         | No data available     |         |                                  |

### 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No information available.

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Unigrip High-Performance Clear Coat Gloss - Component B  
Revision date : 20.03.2025  
Print date : 20-03-2025

# UNIGRIP

DANTECH ELITE COMPOSITES

Version : 1.0.0

### 10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4 Conditions to avoid

Ignition hazard.

### 10.5 Incompatible materials

No information available.

### 10.6 Hazardous decomposition products

Does not decompose when used for intended uses.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

#### Acute toxicity

##### Acute oral toxicity

Parameter : LD50 ( CYCLOHEXYLDIMETHYLAMINE ; CAS No. : 98-94-2 )

Exposure route : Oral

Species : Rat

Effective dose : 425 mg/kg

Parameter : LD50 ( HEXAMETHYLENE-DI-ISOCYANATE ; CAS No. : 822-06-0 )

Exposure route : Oral

Species : Rat

Effective dose : 710 mg/kg

##### Acute dermal toxicity

Parameter : LD50 ( HEXAMETHYLENE-DI-ISOCYANATE ; CAS No. : 822-06-0 )

Exposure route : Dermal

Species : Rabbit

Effective dose : 570 mg/kg

##### Acute inhalation toxicity

Parameter : ATEmix ( HEXAMETHYLENE-DI-ISOCYANATE ; CAS No. : 822-06-0 )

Exposure route : Inhalation

Species : Practical experience/human evidence

Effective dose : 1,5 mg/l

Parameter : LC50 ( HEXAMETHYLENE-DI-ISOCYANATE ; CAS No. : 822-06-0 )

Exposure route : Inhalation

Species : Mouse

Effective dose : 1570 mg/m<sup>3</sup>

#### Respiratory or skin sensitisation

Harmful: possible risk of irreversible effects through inhalation, in contact with skin and if swallowed. Risk of serious damage to eyes. Harmful: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.

### 11.2 Information on other hazards

No information available.

## SECTION 12: Ecological information

### 12.1 Toxicity

There are no data available on the mixture itself.

### 12.2 Persistence and degradability

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Unigrip High-Performance Clear Coat Gloss - Component B  
Revision date : 20.03.2025  
Print date : 20-03-2025

# UNIGRIP

DANTECH ELITE COMPOSITES

Version : 1.0.0

No information available.

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6 Endocrine disrupting properties

No information available.

### 12.7 Other adverse effects

No information available.

### 12.8 Additional ecotoxicological information

The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3). Do not allow to enter into surface water or drains.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

No information available.

## SECTION 14: Transport information

### 14.1 UN number or ID number

No dangerous good in sense of these transport regulations.

### 14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

### 14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

### 14.4 Packing group

No dangerous good in sense of these transport regulations.

### 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

### 14.6 Special precautions for user

None

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU legislation

##### Authorisations and/or restrictions on use

##### Restrictions on use

##### Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)

Use restriction according to REACH annex XVII, no. : 3, 40, 74, 75

##### National regulations

EU limit value for this product (cat. A/i): 140 g/l (2010). This product contains max: 140 g/l

MAL code number according to Executive Order no. 301 from 13 May 1993 on the determination of code numbers (The Danish Working Environment Service)

## Safety Data Sheet

### according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Unigrip High-Performance Clear Coat Gloss - Component B  
Revision date : 20.03.2025  
Print date : 20-03-2025

# UNIGRIP

DANTECH ELITE COMPOSITES

Version : 1.0.0

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### 16.1 Indication of changes

02. Classification of the substance or mixture · 02. Label elements · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] - Hazard components for labelling · 03. Hazardous ingredients · 04. Effects · 11. Acute inhalation toxicity · 11. Skin corrosion/irritation · 11. Serious eye damage/eye irritation · 11. Respiratory or skin sensitisation - Skin sensitisation · 11. STOT-single exposure - STOT SE 1 and 2 · 12. Aquatic toxicity · 15. Restrictions on use

### 16.2 Abbreviations and acronyms

ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road  
ASTM = American Society of Testing and Materials (US)  
CAS No = Chemical Abstracts Service Number (see ACS - American Chemical Society)  
DNEL = Derived No-Effect Level  
DT50 = Time for 50% loss; half-life  
EbC50 = Median effective concentration (biomass, e.g. of algae)  
EC50 = Median effective concentration  
EINECS = European Inventory of Existing Commercial Chemical Substances  
ELINCS = European List of Notified (New) Chemicals (see Tab 7, Background - Guide)  
ErC50 = Median effective concentration (growth rate, e.g. of algae)  
EWC = European Waste Catalogue  
IATA = International Air Transport Association  
IC50 = Concentration that produces 50% inhibition  
IMDG = International Maritime Dangerous Goods Code  
IMO = International Maritime Organization  
LC50 = Concentration required to kill 50% of test organisms  
LD50 = Dose required to kill 50% of test organisms  
LEL = Lower Explosive Limit/Lower Explosion Limit  
LOAEL = Lowest observed adverse effect level  
MRL = Maximum Residue Limit  
NOAEL = No Observed Adverse Effect Level  
NOEC = No observed effect concentration  
NOEL = No Observable Effect Level  
OEL = Occupational Exposure Limits  
PBT = Persistent, Bioaccumulative or Toxic  
PNEC = Previsible Non Effect Concentration  
STEL = Short-Term Exposure Limit  
TWA = Time-Weighted Average  
vPvB = Very Persistent and Very Bioaccumulative

### 16.3 Key literature references and sources for data

None

### 16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

No information available.

### 16.5 Relevant H- and EUH-phrases (Number and full text)

|      |  |
|------|--|
| H226 | Flammable liquid and vapour.             |
| H301 | Toxic if swallowed.                      |
| H302 | Harmful if swallowed.                    |
| H311 | Toxic in contact with skin.              |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation.                  |
| H317 | May cause an allergic skin reaction.     |
| H318 | Causes serious eye damage.               |

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : Unigrip High-Performance Clear Coat Gloss - Component B  
Revision date : 20.03.2025  
Print date : 20-03-2025

# UNIGRIP

DANTECH ELITE COMPOSITES

Version : 1.0.0

|      |  |
|------|--|
| H319 | Causes serious eye irritation.   |
| H330 | Fatal if inhaled.  |
| H331 | Toxic if inhaled.  |
| H332 | Harmful if inhaled.  |
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| H335 | May cause respiratory irritation.  |
| H411 | Toxic to aquatic life with long lasting effects.                           |

### 16.6 Training advice

The regulations of the national employment safety and employment protection commission about the handling for polyurethane/epoxy have to be observed.

### 16.7 Additional information

This safety data sheet contains more than one ES in an integrated form. Contents of the exposure scenarios have been included into sections 1.2, 8, 9, 12, 15 and 16 of this safety data sheet.

---

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---